

## **Client Safety**

### **Contents**

Harness rules and connections  
Harness Checklist  
Detoxification Effects  
Energetic Interactions  
Surrogate testing

### **Harness rules and connections**

The connections are as follows:

Black lead to left ankle  
Blue to right ankle  
Red to right wrist  
Yellow to left wrist  
Head harness to forehead (or other body part when doing specific treatments)  
(with the strips in contact with the client forehead: it is not important which side the cable is- left or right)

It is best if the contact is with the skin: the interaction is then both electrical and magnetic. The magnetic element will pass through thin socks/ stockings but the effectiveness is lower.

Please observe the following rules when using the harness:

1. Do not apply over broken skin.
2. Do not use on patients with pacemakers.
3. Do not use on patients with extreme electrical allergies.
4. Be cautious with patients who have had electric shock therapy
5. Be cautious with patients who are or may be pregnant.
6. Wipe clean the harness with a 10% alcohol solution or equivalent between each use.

### **Harness Checklist**

It improves the operation and accuracy if all of the harness is used. There are special variants for particular cases and in a way to use the device without the harness. This has some particular considerations and is addressed in training/level 2 manual.

Please check each time in the interests of your patient

1. Explain to the patient the straps, their position, and how long they will be present.
2. Check if the patient has had a previous experience which makes them fearful or uncomfortable with straps (e.g. electroshock therapy) Use their hand on the test tray.
3. Check for *Epilepsy* etc. (Care with brain sensitivities e.g. epilepsy although success has been had with correcting brain wave conditions.)
4. *Pacemaker* etc. DO NOT USE (use subspace or disable harness by selecting virtual all in calibration)
5. *Extreme electrical allergy* DO NOT USE (use subspace)
6. *Broken skin*: be careful about contamination and discomfort. There should not be an electrical reaction but monitor. Use a tissue between straps / head harness and patient.
7. *Pregnant*: activating the pregnant button in the Demographics panel tunes the device to this situation. If the patient is pregnant you can test the baby by going to the treatment button on top then to the test baby button. This can activate a filter for measuring the baby reaction patterns. If the computer can not properly filter the signals for a very young foetus it will tell you. For the foetus under 2 month there is sometimes difficulty.

**However** there is a real legal risk. If there was a miscarriage or birth defect it would be your responsibility to prove that what you did had no effect, and in no way contributed to the event. Essential you would be seen as guilty until you proved otherwise. Get a disclaimer.

8. *Children*: Surrogate testing can be done on infants with the harness connected to the mother and the child in the mother's arms. Be careful that the mother's patterns do not interfere. Alternatively use subspace.

*If there may be a problem then do not connect the harness to the patient, but have them place their hand on the test tray (or a piece of their person such as hair blood etc). Then use the virtual (radionic) mode for the subspace link.*

9. There are legal issues in certain countries in offering treatments etc. in areas such as veterinary, dentistry etc. This also applies to diagnosing and stating the possibility of cure for cancer and certain other conditions. The safest approach is always to offer pre-diagnosis i.e. possibilities and whole person treatment. Do check the legalities in your own country.
10. Virtual/subspace. This is similar to radionics which is not legal in certain countries e.g. USA. Radionics is legal in the UK.

## **Detoxification Effects**

In common with many treatment modalities (e.g. homeopathy) clients may experience headaches etc. as a side effect of treatment. They should be informed of this possibility and that they are free to contact you if there is any discomfort or unease after treatment.

The length of time, intensity and type of therapy should be closely matched to the client's vitality. In particular during zapping and detoxification therapies, toxins are released which place demands on the elimination aspects of the client system. Even when using sarcodal therapy (the healthy energy pattern of tissue) this may sufficiently stimulate the tissue vitality that as part of its returned to healthy functioning, it may start to detoxify. Low vitality patients include the elderly, the very ill and especially those with low VARHO values. Phase angular and cellular vitality index can also be used as supportive indicators of treatment with-standability. In general more is not better. In case of low vitality it is likely that treatments supportive of digestive and liver function, or autonomic nervous system and adrenal health (not stimulation) would be useful. Sub space therapies (colour, bio-feedback, etc) may be considered as gentler and more supportive.

Essentially any treatment that involves the destruction of pathogens (viruses, bacteria, worms, fungi, etc) as well as detoxification treatments require good health and vitality in the liver, colon and kidneys in order to effect appropriate elimination of any debris, toxins shaken out of storage or toxic matter intrinsic in the death of pathogens. Potentially allergy de-sensitisation also has considerations.

The VARHO values are very useful in indicating the patients base vitality. Other supportive measurements such as a low resonate frequency, unhealthy phase angles and low cellular vitality index's can also be used as markers. In general if there are a number of hints from any of the measure parameters supporting the probability of a weak system then these should be carefully considered.

***Extreme difficulty in calibrating*** can derive from the hypo and the hyper ends of the spectrum. Hypo activity occurs when the system is very slow in responding, e.g. morphine medication. Hyperactive is where the clients system is sensitised by either recent trauma or doing too much. In either event the origins for the message should be gently explored and the opportunity taken for the additional information provided and understanding concerning clients situation. This does not preclude doing some therapies. The range of options in bio-feedback (which is only 10% harness) are good for this sort of general treatment.

***A dangerous to proceed message*** during calibration or test is a stronger indication of an extreme difficulty measurement. It is an indication that the client does not want any interaction or interference. It can be because there is just too much going on for the clients processing or that they are dealing with a specific issue that they do not want to be distracted from until it is resolved. As under 4 above, it provides information about the client that can form the basis of dialogue.

For both the above it is a possibility to undertake some calming treatment either within or without the QX. Within the QX the nerval treatment in the bio-feedback screen by a feedback drop down list is appropriate.

### **Energetic Interactions**

Every organism has an energy field: An energy field interacts with surroundings and imprints are left from where a client sleeps. The expression 'you cut the air with a knife' can apply to a room where there has been anger expressed for some time afterwards.

Whilst the QX has intrinsic shielding within the programme design, to minimise interference beyond the client being tested, it is possible and has been noted by experience that residual energies in space from a previous person can show up in the results of the next person. For example when running a whole series of tests at a fair, the same items may show up consistently between clients.

It is possible to clear the space by use of psychic vacuum cleaner, smudging, flower essence sprays, etc. Probably the simplest is a flower essence spray.

Our energy fields extend some 4ft. It is possible for our energy fields to interact with the clients and information that does not belong to the client show up. An examination of energetic pictures of the flow of information between people will show this connection. It is particularly strong in the flow of information between the those who are close to each other. Again the QX does have shielding for this.

The energetic and information flow between people who are close to each other emotionally or spiritually is higher. Thus information cross transfer may be more likely between clients who are related or close friends.

### **Surrogate testing**

This the use of a harness around a baby or young child's stomach is possible. In surrogate testing the child's mother is also hooked up.

The possible confusion of testing of baby and the mother's arms is that the mother's thoughts, concepts etc about the babies state of health and causes may also be picked up as well aspects of the mother.

The separation or confusion can depend on how close the client/ therapist, mother/ child etc., are emotionally and also how well by intent they can separate the results.

There are special harnesses for larger animals, e.g. horses. Again the harness can be connected to any limb of the animal or round its belly. Note also that animals and children have a very clean energy field and that some space is also a good option.