

# **Crystal Report Writer for the QXCI Short Form Operating Instructions**

<b>Issue</b>	<b>Date</b>	<b>Author / Modifier</b>
Issue 0		
Issue 1 (first Issue)	Nov 2001	JK
Issue 3	Nov 2002	JK

The Crystal Report Generator offers a number of methods for generating information in a concise manner from the reaction scores in the QXCI/Clasp32 test matrix.

The basis is correlation with client presentation of symptoms and the underlying processes.

JK has found a high degree of correlation between this and conventional symptomatic questionnaires.

## **Contents**

1. Purpose and Explanation
2. Short Form Instructions
  - 2.1 The Mechanics
  - 2.2 Top 10 Risks by Average Report
  - 2.3 Pathway to Disease
  - 2.4 Therapy Selection Report
  - 2.5 Alphabetical Report

## **Notes**

This short form is taken from the full operating instructions. It is strongly recommended that you read them at least once.

## 1.0 Purpose and Explanation

Many people find the QXCI difficult to use because:

- it is not intuitive to look at the test matrix and understand what the client's problem really is.
- It is not easy to remember what you see when you press each of the group buttons on the left.
- It is also difficult to navigate from module to module. For example, to find the "cancer virus detected", you must go to the music page, then to timed therapies, then degeneration, etc., etc. Looking for cancer on the music page just isn't intuitive.

Software has been created that will read the information from the QXCI's database. It then puts it into reports which allow one to:

- Know what the various modules would tell you if you took the time to look at each module.
- To quickly find the ten top things that are risks (current reactive items-see below for explanation) for the client based on the whole database (the Risk Profile in the QXCI is based on 15-20 items that are felt to be representative of the risk category.)
- Create an instruction set that you can paste into any holding tray in the QXCI. This permits the treatment of the reactive items (just red, or red and purple or any consecutive number of items that you feel appropriate). In essence, you can now treat more in five minutes than you have been treating in two hours by going from module to module.

Since you don't have to go from module to module, it is possible to get a much more informative view in under 15 minutes.

A basis for treatment might be like the following:

<b>Step</b>	<b>Function</b>	<b>Timing</b>
1	Demographics	5 mins
2	Calibration	2 mins
3	Test	4 mins
4	Crystal Risks by Average Report	1 min
5	Do suggested auto therapy to clear ground / start balancing (good default is auto freq and auto trivector) <i>Look at Crystal report while this is running</i>	5 mins
6	Do the Crystal therapy Report	5 mins
7	Do other therapies appropriate to views on step 4	5-10 mins
8	Use the New (Nov 2001) Final rectification System in Clasp	5 mins
9	Discuss client lifestyle changes and supports needed	

Agree targets for next visit etc.

TOTAL TIME 37 mins

## **2. Short Form Instructions**

### **2.1 The Mechanics?**

The reports are accomplished in the following way:

1. Run the QXCI program in the usual way until you finish the Test.
2. Click the report icon installed at the bottom of the screen
3. Do a few simple clicks
4. View the information

(Note that after you have closed Clasp you can still run the reports on the last client)

The report generator quickly calls your attention to the systems most at risk for this client. The average reactance is listed for each group. The value for each item in the group and the database number for each item is also displayed. The database number allows you to go to that item if you want to spend more time treating it or to use the echo program with it.

#### *Common Steps*

- Run the QXCI program in the usual way until you finish the Test.
- Click the relevant report icon installed at the bottom of the screen

### **2.2 Top Ten Risks by Average**

One of the most useful reports is the Top Ten Risks. It will very quickly isolate the problem areas. This averages the scores of all the items belonging to the 170 Crystal groups is calculated and the top 10 average scores are displayed.

The Risk Profile in the QXCI gives very different results than in the Crystal Top Ten Risks. The reason is the methodology. In the QXCI, “experts” picked 15-20 items they thought would be the most common problems in each group listed in the QXCI Risk Profile. Each of these items is then averaged to give the results viewed in the QXCI Risk Profile. However, in the Crystal Top Ten Risks, all of the items from the entire database (except those listed in Other) are analyzed and averaged. This appears to give results which correspond to the complaints in a higher number of clients.

#### **2.2.1 Base approach using the whole of the test matrix.**

1. Click on the “Shortcut to Risks by Average” Icon on the bottom toolbar.

2. Click <Refresh data>
3. Click <Print>
4. Click <OK>
5. Select “Start of range” to 0 (zero). Tick “No upper Bound”
6. Click <Add>
7. Check that selected range displays in the bottom window.  
e.g. [0.00 ]
8. Click <OK>
9. Observe the progress in the top right window in %.
10. Increase the writing size from 75% to 100% for legibility (top toolbar)
11. Drag the right edge of the panel to the right to see all the writing.
12. Printout by clicking the <print icon> on the top toolbar

OR

Save to file/floppy by using the envelope function. (for example if you want to go look at this on another computer while therapy is happening)

13. When finished either minimise (minus button in top right corner) or close with the “X”.

### **2.2.2 Focusing on select parts of the test matrix.**

Possible non reactive but significant items may hide in the low scores. A disease may exist because the body is not reactive to it: it has adapted so strongly that it is no longer recognised. A blindness has set in.

If you consider that there may be distortion by low values then set a higher bottom end e.g. 50 on SOC 100, 100 on SOC 200 or maybe at the start of the yellow band or maybe to include the top part of the blue.

Or if you consider that the number of items hiding in the low scores -where there should be many empties-is significant then select from 0 to maybe slightly beyond the empties.

There is a view, validated by more than a few practitioners, that the reactive bands (purple and red) can represent either:

- ❑ Items that are reactive in their own right and representing a symptom or a reactive deep issue e.g. inflammatory digestive disorder.
- ❑ A breakout or symptom that is a reflection of a chronic issue (eczema flare up representing detoxification route failures)

Chronic issues are intrinsically non reactive. They hide in the blue band. It may be instructive to run the report with these values.

## **2.3 Crystal Pathway to Disease Concept Report**

This is the route to identify patterns/ repeats within the reactive (purple and red) scores. Pathway to Disease Report focuses on the deeper, more chronic aspects. It helps reveal the depth of dysfunction according to the systems involved and the number of items in each category.

The number of disturbed systems are a good indication of the depth of dysfunction and hence the route and pathway to recovery. This report is more intended to tell you how sick the patient is and how many systems have quit than to point to individual items. To understand the value of this report it is necessary to understand the disease process and which systems are affected as dysfunction deepens. The PNS/SNS are the first systems to be stressed and if unattended progress to affect the endocrine and immune. The client experiences deeper dysfunction. Auto immune reflects toxicity and is the deepest aspect of dysfunction.

The report is presented in the following category order:

- Stressors currently active
  
- Extent of disturbance of systems:
  - Layer 1: Autonomic Nervous System (ANS-PNS/SNS)
  - Layer 2: Endocrine System
  - Layer 3: Immune System
  - Layer 4: Auto Immune/ Toxicity

Layer 4 is far deeper: thus recovery will be slower.

### **Stressors**

The first categories of vertebrae, emotions, stress, pH, calcium, magnesium, potassium, minerals hint at the possible causal areas. One apparently common factor in many disease processes is stress in the endocrine/ANS systems. Failure to address this area is most often the start for the disease process. This can originate from:

- Actual or perceived danger, resulting in endocrine and SNS switch on
- Fear and perceived victimisation
- pH (acidity) imbalance from diet, digestive disorders, calcium and other mineral imbalances.
- Food toxins, resulting in allergic response to everyday foods
- Trauma

The categories are selected in relation to the disease process reflected the above causal areas and in a “sympathetic on” situation. This associates with acidity, mineral imbalances (magnesium, potassium, calcium etc.), digestion, stress, emotions, endocrine, immune, auto-immune, cancer, parasympathetic and sympathetic systems, toxicity. Many of these can be chicken or egg. The poor internal environment facilitates the disease process: a healthy internal environment does not support pathogens.

**Extent of Disturbance**

This is presented in an order reflecting the depth of the disease process: the number of categories give the disease depth *and* the number of items in each category highlight the focal areas. The listing represents the normal sequence of failure of systems in chronic disease: further down the list reflects a deeper effect. The PNS/SNS are the first systems to be stressed and if unattended progress to affect the endocrine and immune. The client experiences deeper dysfunction. Auto immune reflects toxicity. Working in this way highlights the seriousness of the health dysfunction and the time-scale for restoration. The basis is to see how many categories of a particular area show e.g. only 2 of 10 indicate that this is not a severe area.

The categories, number of groups and items involved are:

<b>Group/ Category</b>	<b>No Groups</b>	<b>No. Items</b>	<b>Comments</b>
Cancer			Shown at the top for reference only.
Diseases			Shown at the top for reference only.
<b>Sympathetic On Stressors</b>			Consider their presence and the number of items in assessing client relevance
ANS	1	15	
Emotions	1	360	
Bach Flowers/Flower essences	1	480	
Stress	1	50	
pH	1	20	
Food Toxins	1	106	
Calcium	1	50	
Magnesium	1	16	
Potassium	1	12	
Minerals	1	110	
			Consider the number of categories present as hint strength.
<b>ANS Markers</b>			<b>Layer 1</b>
Parasympathetic Categories		10	
Sympathetic Categories		3	
<b>Endocrine System</b>			<b>Layer 2</b>
Endocrine Categories		19	
<b>Immune System</b>			<b>Layer 3</b>
Immune System Categories		1	
Immune Infection Categories		4	
<b>Auto Immune System/ Toxicity</b>			<b>Layer 4</b>
Auto immune (Mycoplasma/rickettsia)		1	
Autoimmune Categories		7	
Toxins Categories		19	

Some systems groups have only one category, others many. Similarly some categories have a few test matrix markers and some many.

***The analysis process is as follows:***

**Step 1:** how deep is the disturbance? Look at how many markers are in the various layers. Then correlate with client situation. The depth will indicate the time to recovery and the likely areas for intervention with energetic medicine etc.

**Step 2:** assess the sympathetic on stressors. These indicate the areas where the client needs to effect changes in their world.

The full listing of categories and the number of items in each is tabulated below. For vertebrae there is only 1 entry for each one: however these do show a high degree of correlation with the system(s) affected. For others e.g. flower essences a lot of items that are reactive would not be expected. Around 10 items would indicate that this a prime area creating disturbance. A single worm may be sufficient to indicate an issue: several would hint at a more widespread impact (e.g. tropical visit, toxicity etc.) Similarly for other areas: the fact that only one or two items show does not mean that this is not a significant area. Use other QX information to corroborate as well as real world client information.

Code	Category		No.of test matrix items
	<b>Informational for</b>	<b>serious possibilities</b>	
<b>001</b>	<b>Cancer</b>		60
002	Cancer	Addiction-Retroviruses	1
003	Cancer	Radiation	28
004	Cancer	Mucor	1
005	Cancer	Lyme	5
006	Cancer	Chemotherapy	5
<b>007</b>	<b>Diseases</b>		550
	<b>Vertebrae</b>	Hint to focal areas: look at nerval links.	
007.01	Vertebra C1	Brain, Pituitary, Inner & Middle Ear, Sympath	1
007.010	Vertebra T3	Lungs, Bronchi, Pleura, Chest, Breast, Nipples	1
007.011	Vertebra T4	Gall Bladder and Common Bile Duct	1
007.012	Vertebra T5	Liver Solar Plexus, Blood	1
007.013	Vertebra T6	Stomach	1
007.014	Vertebra T7	Pancreas, Islands of Langerhans, Duodenum	1
007.015	Vertebra T8	Spleen, Diaphragm	1
007.017	Vertebra T10	Kidneys	1
007.018	Vertebra T11	Kidneys, Ureters	1
007.019	Vertebra T12	Small Intestine, Fallopian Tubes, Lymphatic C	1
007.02	Vertebra C2	Eyes, Optic Nerve, Auditory Nerve, Sinuses,	1
007.020	Vertebra L1	Large Intestine, Inguinal Rings (Hernia)	1
007.021	Vertebra L2	Appendix, Abdomen, Upper Leg	1
007.022	Vertebra L3	Sexual Organs, Ovaries, Testicles, Uterus, Bla	1
007.023	Vertebra L4	Prostate, Muscles of Lower Back, Sciatic Nerve	1
007.024	Vertebra L5	Lower Legs, Ankle, Feet, Toes, Arches	1
007.025	Vertebra Sacrum	Hips, Buttocks	1
007.026	Vertebra	Sacroiliac	1
007.026	Vertebra T9	Adrenals	1
007.03	Vertebra C3	Cheeks, Outer Ear, Facial bones, Teeth, Trigem	1

*Instructions for Crystal Report Writer Issue 2*

007.04	Vertebra C4	Nose, Lips, Mouth, Eustachian Tube, Mucous	1
007.05	Vertebra C5	Vocal Cords, Neck Glands, Pharynx	1
007.06	Vertebra C6	Neck Muscles, Shoulders, Tonsils	1
007.07	Vertebra C7	Thyroid Gland, Shoulder Bursae, Elbows	1
007.08	Vertebra T1	Forearms, Wrists, Hands and Fingers, Esophag	1
007.09	Vertebra T2	Heart and Valves, Pericardium, Coronary Arter	1
007.2	Chronic Fatigue		70
	<b>Sympathetic on Stressors</b>	See also digestion	
008	Autonomic Nervous System		15
009	Emotions	This includes remedies that have an emotional association listed in the test matrix	360
010	Bach Flowers/Flower Essences	Obviously all 480 will never show in a real client!	480
011	Stress		50
012	pH		20
013	Food Toxins		106
014	Calcium		50
015	Magnesium		16
016	Potassium		12
017	Minerals		110
	<b>Layer 1: ANS</b>		
018	Parasympathetic	Allergies	300
019	Parasympathetic	Amino Acids	30
020	Parasympathetic	Digestion	100
021	Parasympathetic	Enzymatic Processes	140
022	Parasympathetic	Enzymes	110
023	Parasympathetic	Fatty Acids	110
024	Parasympathetic	Leaky Gut	3
025	Parasympathetic	Nutrition	60
026	Parasympathetic	Sinuses	30
027	Parasympathetic	Vitamins	160
028	Parasympathetic	Worms	100
029	<i>Sympathetic</i>	Blood Pressure	28
030	Sympathetic	Circulation	40
031	Sympathetic	Heart	60
	<b>Layer2: Endocrine</b>	See also reproductive	
032	<b>Endocrine</b>	Chakras (Endocrine Glands)	6
033	Endocrine	Brain	50
034	Endocrine	Brain Cerebrum/Cerebral	6
035	Endocrine	Brain-Frontal Lobe	1
036	Endocrine	Brain-Temporal Lobe	1
037	Endocrine	Brain-Parietal Lobe	1
038	Endocrine	Brain-Occipital Lobe	1
039	Endocrine	Neurotransmitter	60
040	Endocrine	Drugs of Addiction	23
041	Endocrine	Pineal	7
042	Endocrine	Hypothalamus	1
043	Endocrine	Pituitary	9
044	Endocrine	Thyroid	25
045	Endocrine	Pancreas	14
047	Endocrine	Blood Sugar	12
048	Endocrine	Diabetes	10

*Instructions for Crystal Report Writer Issue 2*

049	Endocrine	Adrenals	20
050	Endocrine	Liver	110
051	Endocrine	Ovary	10
052	Endocrine	Testicles/Sperm	3
053	Endocrine	Sex	30
054	Endocrine	Hormones	36
	<b>Layer 3: Immune</b>		
055	<b>Immune System</b>		120
057	Immune	Infection:Bacteria	90
057	Immune	Infection:Fungi	30
058	Immune	Infection:Prions	3
059	Immune	Infection:Viruses	30
	<b>Layer 4: auto-immune/toxicity</b>		
060	Autoimmune	Mycoplasma,Rickettsia	7
061	Autoimmune	Toxins/Poisons	6
062	Autoimmune	Toxins: Substances(Isodes) Dental Inorganic	120
063	Autoimmune	Toxins: Dental Organic Substances(Nosodes)	60
064	Autoimmune	Toxins: Pharmaceuticals	2
065.01	Autoimmune	Toxins: Phenols	46
065.02	Homotoxicology	Mercury: see also amalgam	1
065.03	Homotoxicology	Asbestos	2
065.05	Homotoxicology	Environmental	35
065.06	Homotoxicology	Halogens/Chlorine	3
065.07	Homotoxicology	Industrial Pollutant	4
065.08	Homotoxicology	Insecticides	14
065.09	Homotoxicology	Metals	13
065.11	Homotoxicology	Pharmaceuticals	100
065.12	Homotoxicology	Beauty Shop Toxins	1
065.13	Homotoxicology	Metabolic	5
065.14	Homotoxicology	Heredity	20
065.16	Homotoxicology	Tobacco	3
065.17	Homotoxicology	Caffeine/Stimulants	2
065.19	Homotoxicology	Surgery	4
065.20	Homotoxicology	Injury/Scar Tissue	25
065.24	Homotoxicology	Weather	1
065.26	Homotoxicology	Bowel Dysfunction	30
065.27	Homotoxicology	Perfumes	4
065.28	Homotoxicology	Sugar	8
066	Autoimmune	Pyrogeniums (Cause Fever)	1
067	<b>Lymphatics</b>		26
069	<b>Organ Systems</b>	(Sarcodes)	280
070	Organ Systems	Acupuncture	14
070.1	Magnetic		5
071	Blood-Bleeding		9
072	Biological Age		10
073	Body Fluid: blood		50
074	Body Fluid: urine		20
075	Skin		41
076	Bones		23
077	<b>TMJ</b>		4
078	Vertabrae		3
079	Muscles		20

*Instructions for Crystal Report Writer Issue 2*

080	Nerves		30
	<b>Senses</b>		
082	Eyes/Vision		16
083.1	Sense of Smell		1
083.3	Sense of Touch		5
084	<b>Respiratory System</b>		14
085	Respiratory	Asthma	14
086	Respiratory	Bronchi	5
087	Respiratory	Lung	26
088	Respiratory	Nose=Nasal	7
089	Respiratory	Pharynx=Throat	14
091	<b>Digestion:</b> Gallbladder		6
092	Digestion: Esophagus		1
093	Digestion: Stomach		14
094	Digestion: small intestine		2
095	Digestion: Large Intestine		4
092	<b>Reproductive</b>	Breast	5
093	Reproductive	Prostate	10
094	Reproductive	Uterus	3
095	Reproductive	Menopause	7
096	<b>Urinary System</b>	Bladder	13
097	Urinary System	Kidney	50
100	Urinary System	Urine	3
	<b>Other Classifications</b>		
102	Chinese Herbs		
104	Crystals		
105	Homeopathics (DR)		
106	Narayani remedies		70
107	Imponderables		70
108	Others		2300

Some examples that illustrate working with this approach are:

<b>Group</b>	<b>Total Possible</b>	<b>Normal Person</b>	<b>Slightly unwell</b>	<b>Slightly unwell</b>	<b>Quite poorly</b>	<b>Very unwell</b>
Notes Reference		(1)	(2)	(3)	(4)	(5)
Cancer	60			2		3
Diseases	550			2		5
<b>Sympathetic On Stressors</b>						
ANS	15				3	3
Emotions	360	1	1		4	4
Bach Fl	480	1	2	9	6	6
Stress	50				3	3
pH	20		3	2	2	2
Food Toxins	106				6	6
Calcium	50		3	2	2	2
Magnesium	16		2	2	3	3
Potassium	12		2	2	2	2
Minerals	110				4	4
<b>ANS Markers</b>						
Parasympathetic Categories	10	2	4	4	7	7
Sympathetic Categories	3	1	2	2	2	2
<b>Endocrine System</b>						
Endocrine Categories	19				10	10
<b>Immune System</b>						
Immune System Categories	1				1	1
Immune Infection Categories	4				1	1
<b>Auto Immune System/ Toxicity</b>						
Auto immune (Mycoplasma/rickettsia)	1					
Autoimmune Categories	7				3	3
Toxins Categories	19				4	4

**Notes**

- (1) Case 1 has some emotional issues and a some ANS activity, but is pretty healthy.
- (2) Case 2 doesn't have emotional issues to worry about, but her dietary choices have made her sympathetic-on/parasympathetic-off. She has the expected problems with calcium, magnesium and potassium. Her sympathetic-on state is associated with "stomach ulcers" and high blood pressure. You will lower her blood pressure when you replace her magnesium (and thus reduce her sympathetic-on state, but you won't have any lasting effect until you get her to make more alkaline-producing food choices.
- (3) Case 3 has emotional stresses that have only gone as deep as the ANS: consequently recovery should be rapid, provided that the issues are addressed. The presence of markers in cancer and diseases may represent just an energetic possibility/ tendency in this client.
- (4) Case 4 has systemic disturbance and digestion will probably also show issues. The dysfunction has gone deep although cancer is not yet showing it may well soon!



## **2.4 Shortcut to QX Therapy Selection**

This is the route to identify and treat all the items that the client super-conscious says need treatment now. It is an extended version of the “Pathway to Disease” above and originally was used to enable a rapid treatment of all the reactive items in a selected score band. Normally the purple and red scores were selected. The basis for this approach is that many of the QX therapies draw on the test matrix and probably use the more reactive items from it in the treatment.

However the users should consider that the more reactive items may be a reflection of an underlying issue but not necessarily the issue itself. The underlying, possibly chronic issue should also be identified and addressed. For example a client may have a proper medical diagnosis of prostate cancer but it may be non reactive and not show in the purple/red bands. If so the suspected issue should be searched for and checked via the individual reaction facility.

### **2.4.1 Multiple Item Treatment via the Hold facility**

There is also an easier way to treat multiple items concurrently using the main test matrix Hold facility. This enable the top 30 items and any others or just selected items to be treated for 30 seconds or 3 minutes.

The items can be added by:

- Drag and drop individual items
- TEST > Information > Add top significant items > Add top 30  
(Or > Save Significant data (top 200))

Once the selection is in the Info View:

*Load Report* which will then change to *Load Report Items*

Click this and the Hold box will show “Report Items Loaded”. The “Indiv Reaction” button will have a changed display “ Test Report”. Clicking this will bring up the yellow Individual reaction panel. Values are interpreted in the normal way: however be aware that this is a group of items and the results are of the whole combination of the Trivector patterns. Thus the scores are an overall response.

Clicking any of the Zap options (3mins, 30 secs) will treat with all the patterns of the selected items concurrently. Care is suggested as this may create an overload and alarm.

### **2.4.2 Treating via the Report Generator**

It is somewhat tedious !

1. Click on the “”Shortcut to QX Therapy selection” icon on the bottom toolbar.
2. Click <refresh data>
3. Click <Print>

4. Click <OK>
5. Select the bottom of the purple range e.g. 106. This puts the hyper-reactive items into the system.
6. Tick "No upper Bound"
7. Click <Add>
8. If you feel that very low score values (hypo reactive) are also relevant then these can be incorporated by entering the threshold e.g. 40 in the <End of range> box.
9. Click <add>
10. Check that selected range displays in the bottom window. In our example all items that are below 40 or above 106 will be included in the report.
11. Click <OK>
12. Observe the progress in the top right window in %.
13. Increase the writing size from 75% to 100% for legibility (top toolbar)
14. Drag the right edge of the panel to the right to see all the writing.
15. The report will not show scores etc. as it develops a format that can be used, after some manipulation, for treatment of all the hypo and hyper reactive items.
  
16. The next few stages are necessary to format the data suitable for Clasp re-import.
  
17. Click the <envelope> icon
18. Scroll down the top box to "Word for Windows" or an equivalent word processing package. Leave the bottom Destination Box as "Disk file".
19. Save the (now Word) file into a rememberable location. (e.g. Crystal Client Reports Folder, and name it for the client if you want to keep a record). To do this click <OK>.
20. Use the save in box to select the destination folder. You can edit to a specific file name in the save panel.
21. Open Word (Note that this is resource hungry and that you probably need 128Mb RAM and better 256 Mb)
22. Open the file that you exported above
23. On the top toolbar <Edit> <Replace>
24. Type ^t in the top edit box.
25. Ensure that "Replace with" is empty
26. Click <Replace all>
27. (This removes all the tab characters in the document)
28. Leave the Find and Replace panel open
29. Type ^p in the top edit box.
30. In "Replace with" enter ^s^s
31. Click <Replace all>
32. (This removes the paragraph characters and replaces them with two spaces)
  
33. The information is now in a form that Clasp can use.
  
34. Press <Close>
35. Select <Edit>
36. Click <Select all>

37. Select <Edit>
38. Select <Copy>
39. Close Word (Say yes to whatever message comes on closing)
40. Return to the Clasp program and close the Crystal panels

There are 2 possible routes now:

41. Select <Program> <Risk Profile>
42. Click <Load Current Client>
43. Mouse click on the top edit box (above Treat Areas Above descriptor)
44. Click <Ctrl> and <v> simultaneously. (This will paste the matrix items into the treat areas edit box)
45. Click on <Treat Area Above> and use the enter key 20-30 times to make the process automatically repeat. (With one or more risk profile group entries the treatment time is approx. 10 seconds. This is the same for the Crystal approach. Thus to treat for 3 minutes you need 18 clicks.

Alternatively: paste the selection into the additional treatments box in Timed Treatments, sarcodes etc., load and close, set the time and click an appropriate timed treatment button.

## **2.5 Alphabetical Report**

This will display any of the 170 groups that have values over the lower threshold that you set. If you set 80 as the lower threshold then any groups with items of score 80 or more will be displayed. If a group does not have an item value over the selected lower bound (80 in this case) then the group heading will not be displayed. A sensible lower value would be the starting value in the purple band. However be aware that while acute issues may show in the red band some experiences indicate that chronic issues (which may be considered to set the stage for acute breakouts) may show as far down as the blue.

This also offers a way to get a complete listing of the test matrix.

1. Click on the “”Shortcut to QX Alphabetical report” icon on the bottom toolbar.
  2. Click <refresh data>
  3. Click <Print>
  4. Click <OK>
  5. Select “Start of range” to 0 (zero) if you want absolutely everything  
Which will display as [0.00 ]
- OR
- select a bottom range (e.g. the bottom of the purple or red etc.)  
Which will display as e.g. [30.00 ]
6. Tick “No upper Bound”
  7. Click <Add>
  8. Check that selected range displays in the bottom window.
  9. Click <OK>
  10. Observe the progress in the top right window in %.
  11. Increase the writing size from 75% to 100% for legibility (top toolbar)

12. Drag the right edge of the panel to the right to see all the writing.

13. Printout by clicking the <print icon> on the top toolbar

OR

Save to file/floppy by using the envelope function. (for example if you want to go look at this on another computer while therapy is happening)

The information includes:

- The average reactance for each group

- The individual reactance for each item in the group

- The item code number in the test matrix.

(The numbers in front of each group are purely internal and have no client relevance)

14. When finished either minimise (minus button in top right corner) or close with the "X".